

PRODUCT CODE GAR70D

V2

Please check actual product in box for bracket type used (Hardwire)

## **ARCH 700** LED MIRROR

SPECIFICATION	NS	FEATURES
WIDTH	700mm	Copper Free Mirror
HEIGHT	1000mm	LED Lighting
DEPTH	35mm	(Adjustable Colour Temperature)
WEIGHT	11kg	Touch Sensor
ORIENTATION	Portrait	Demister with 1 Hour Auto Cut-off
		-
LIGHTING SPE	CIFICATIONS	
ССТ	2700K - 6500K	-
CRI	>80	-
INSTALLATION		
Wall mount		-
Hardwire		
Input voltage: 22	20-240v 50Hz	-

## C E 🖄 🖗



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





Please check actual product in box for bracket type used (Plug/Hardwire)

#### **ARCH 700** PRODUCT CODE GAR70D LED MIRROR SPECIFICATIONS FEATURES WIDTH 700mm Copper Free Mirror 200 LED Lighting HEIGHT 1000mm (Adjustable Colour Temperature) DEPTH 35mm Touch Sensor 11kg WEIGHT 267 Demister with 1 Hour Auto Cut-off ORIENTATION Portrait 300 LIGHTING SPECIFICATIONS ССТ 2700K - 6500K 15 >80 CRI 1000 INSTALLATION Wall mount Plug or Hardwire Input voltage: 220-240v 50Hz

00

700





Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





BRACKET TYPE 1

PRODUCT CODE

GAR70D-BB

GAR70D-BN

GAR70D-GM

GAR70D-MB

GAR70D-MW

Please check actual product in box for bracket type used (Hardwire)

# **ARCH 700**

### LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS	
WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	
CRI	>80	


#### INSTALLATION

Wall mount

Hardwire

Input voltage: 220-240v 50Hz

FEATURES		
Copper Free Mirror		
LED Lighting		
(Adjustable Colour Temperature)		
Touch Sensor		
Demister with 1 Hour Auto Cut-off		



FINISH

Brushed Brass

Brushed Nickel

Gun Metal

Matte Black

Matte White





Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

13-15 Edison Road, Dandenong South VIC 3175 T (03) 9706 6663 E sales@remer.com.au W remer.com.au





PRODUCT CODE

GAR70D-BB

GAR70D-BN

GAR70D-GM

Please check actual product in box for bracket type used (Plug/Hardwire)

REMER

**ARCH 700** 

## LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS	
WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS		
ССТ	2700K - 6500K	
CRI	>80	


#### INSTALLATION

Wall mount

Plug or Hardwire

Input voltage: 220-240v 50Hz

FEATURES		
Copper Free Mirror		
LED Lighting		
(Adjustable Colour Temperature)		
Touch Sensor		
Demister with 1 Hour Auto Cut-off		



**FINISH** 

Brushed Brass

Brushed Nickel

Gun Metal





Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

13-15 Edison Road, Dandenong South VIC 3175 T (03) 9706 6663 E sales@remer.com.au W remer.com.au

